



Canadian Society for Medical Laboratory Science  
Société canadienne de science de laboratoire médical

## Laboratory Safety Guidelines, 6<sup>th</sup> Edition Order Form

Authors Gene Marie Shemetek and Wayne Wood have reviewed and updated material from Edition 5 and added several new chapters to reflect trends in laboratory safety. New chapters include:

- Hazard Identification and Assessment
- Psychosocial Hazards
- Personal Protective Equipment
- Emergency Equipment
- Laboratory Security

Major additions were also made to the chapters on *Ventilation and Indoor Air Quality* and *Laboratory Safety Administration*. The guidelines are available in print or on CD-ROM.

---

### Bill to:

Company Name: \_\_\_\_\_

Contact Name: \_\_\_\_\_ Contact Phone Number: \_\_\_\_\_

Contact Email: \_\_\_\_\_

Street: \_\_\_\_\_ City: \_\_\_\_\_

Province: \_\_\_\_\_ Postal Code: \_\_\_\_\_

P.O. Box: \_\_\_\_\_ CSMLS #: \_\_\_\_\_

Shipping Address:  same as billing

Company Name: \_\_\_\_\_ Contact Name: \_\_\_\_\_

Street: \_\_\_\_\_ City: \_\_\_\_\_

Province: \_\_\_\_\_ Postal Code: \_\_\_\_\_

P.O. Box: \_\_\_\_\_ CSMLS #: \_\_\_\_\_

---

**Prices:** Printed copy: \$20.00 + GST/HST, CD-ROM: \$20.00 + GST/HST and PST where applicable. The rate for orders of 10 or more is \$17.00 + GST/HST

### Format Requested:

Printed Copy: # of copies: \_\_\_\_\_ CD-ROM: # of copies: \_\_\_\_\_

### Payment Information:

#### Option 1: Credit Card

Visa  MasterCard  American Express

Card #: \_\_\_\_\_ Expiry: \_\_\_\_\_

Cardholder Name: \_\_\_\_\_

Cardholder Signature: \_\_\_\_\_

#### Option 2: Invoice

Please note invoicing is only available for orders of 10 or more.

Purchase Order attached Purchase Order Number: \_\_\_\_\_

**Please note a credit card number must be provided for orders outside of Canada.**



Canadian Society for Medical Laboratory Science  
Société canadienne de science de laboratoire médical

Please Fax/email or mail this order form to:  
CSMLS PO Box 2830, LCD 1 Hamilton, ON L8N 3N8  
Fax: 905-528-4968 Email: [memserv@csmls.org](mailto:memserv@csmls.org)

## **Errata**

Please note the following correction to the *Laboratory Safety, CSMLS Guidelines, Sixth Edition 2006*.

Biological Hazards – Chapter 5, page 19

In the section on Effective Operating parameters for gravity displacement steam autoclaves:

The correct pressure should read: Pressure 103.4 kPa (15psi)

## **Errata**

S'il vous plaît noter la correction suivante à la *sécurité en laboratoire, les lignes directrices de la SCSLM, sixième édition 2006*.

Risques biologiques - Chapitre 5, page 19

Dans la section sur les paramètres de fonctionnement efficace pour les autoclaves gravité de déplacement de la vapeur:

La pression correcte devrait se lire: La pression 103,4 kPa (15 psi)

## **Errata**

Please note the following corrections to the *Laboratory Safety, CSMLS Guidelines, Sixth Edition 2006*.

### 1. First Aid – Chapter 14, page 84

In the section on Needlestick Injuries:

The correct protocol is as follows:

- a. Encourage bleeding
- b. Clean the puncture site
- c. Apply a dressing

### 2. Biological Hazards – Chapter 5, page 23

When describing the HEPA filter particle size, 0.3 um should be indicated (rather than 0.3 mm)

## **Errata**

S'il vous plaît noter les corrections suivantes à la *sécurité en laboratoire, les lignes directrices de la SCSLM, sixième édition 2006*.

### 1. Premiers secours - Chapitre 14, page 84

Dans la section sur les piqûres d'aiguilles:

Le protocole correct est comme suit:

- a. Encourager saignements
- b. Nettoyer le site de ponction
- C. Appliquez un pansement

### 2. Risques biologiques - Chapitre 5, page 23

En décrivant la taille HEPA filtre à particules, 0,3 um doit être indiquée (plutôt que 0,3 mm)